

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	confirm\$5 near12 (sms short adj messag\$3 text adj messag\$4) near12 ((base ground) adj station) near12 (call (((dormant torpid asleep quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$5 power) adj3 (sav\$5 conserv\$6 reduc\$3 reduction)))) and @ad<"19991211"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/09/02 00:56
S2	0	confirm\$5 near12 (sms short adj messag\$3 text adj messag\$4) near12 (bs (base ground) adj station) near12 (call (((dormant torpid asleep quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$5 power) adj3 (sav\$5 conserv\$6 reduc\$3 reduction)))) and @ad<"19991211"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/09/02 00:58
S3	10	confirm\$5 near22 (sms short adj messag\$3 text adj messag\$4) near22 (bs (base ground) adj station) near22 (call (((dormant torpid asleep quiescent idle inoperat\$4 in-operat\$4 inactiv\$4 in-activ\$4 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$4 power) adj3 (sav\$3 conserv\$6 reduc\$3 reduction))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/09/02 00:59
S4	10	confirm\$5 near22 (sms short adj messag\$3 text adj messag\$4) near22 (bs (base ground) adj station) near22 (call (((dormant torpid asleep quiescent idle inoperat\$4 in-operat\$4 inactiv\$4 in-activ\$4 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$4 power) adj3 (sav\$3 conserv\$6 reduc\$3 reduction))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/09/02 01:00
S5	16	confirm\$5 near22 (burst sms short adj messag\$3 text adj messag\$4) near22 (bs (base ground) adj station) near22 (call (((dormant torpid asleep quiescent idle inoperat\$4 in-operat\$4 inactiv\$4 in-activ\$4 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$4 power) adj3 (sav\$3 conserv\$6 reduc\$3 reduction))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/09/02 01:00
S6	4	confirm\$5 near22 (burst sms short adj	US-PGPUB;	OR	OFF	2011/09/02

		messag\$3 text adj messag\$4) near22 (bs (base ground) adj station) near22 (call (((dormant torpid asleep quiescent idle inoperat\$4 in-operat\$4 inactiv\$4 in-activ\$4 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$4 power) adj3 (sav\$3 conserv\$6 reduc\$3 reduction)))) and @ad<"19991211"	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			01:02
S7	6	confirm\$5 near22 (burst sms short adj messag\$3 text adj messag\$4) near22 (bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat\$4 in-operat\$4 inactiv\$4 in-activ\$4 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$4 power) adj3 (sav\$3 conserv\$6 reduc\$3 reduction)))) and @ad<"19991211"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/09/02 01:07
S8	6	confirm\$5 near22 (burst sms short adj messag\$3 text adj messag\$4) near22 (bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat\$4 in-operat\$4 inactiv\$4 in-activ\$4 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$4 power) adj3 (sav\$3 conserv\$6 reduc\$3 reduction)))) and @ad<"19991211"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/09/02 01:15
S9	6	confirm\$5 near22 (burst sms short adj messag\$3 text adj messag\$4) near22 (access adj (point node port) bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat\$4 in-operat\$4 inactiv\$4 in-activ\$4 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$4 power) adj3 (sav\$3 conserv\$6 reduc\$3 reduction)))) and @ad<"19991211"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/09/02 01:29
S10	20	confirm\$5 near22 (burst sms short adj messag\$3 text adj messag\$4) near22 (access adj (point node port) bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat\$4 in-operat\$4 inactiv\$4 in-activ\$4 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$4 power) adj3 (sav\$3 conserv\$6 reduc\$3 reduction))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/09/02 01:31
S11	23	(inform\$3 notify\$3 notifi\$5 alert\$4 know\$2) near22 (burst sms short adj messag\$3 text adj messag\$4) near22 (access adj (point node port) bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat\$4 in-operat\$4 inactiv\$4 in-activ\$4 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$4 power) adj3 (sav\$3 conserv\$6 reduc\$3 reduction)))) and @ad<"19991211"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/09/02 01:37

S20	10	(burst messag\$4) adj7 (sms (short text) adj messag\$4) same (inform\$3 notify\$3 notifi\$5 alert\$4 know\$2 confirm\$5) near22 (burst messag\$4) near22 (access adj (point node port) bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat\$4 in-operat\$4 inactiv\$4 in-activ\$4 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$4 power) adj3 (sav\$3 conserv\$6 reduc\$3 reduction)))) and @ad<"19991211"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/09/02 05:25
S24	1	(Hyun near3 Jeong near3 Kim) and (inform\$3 notify\$3 notifi\$5 alert\$4 know\$2 confirm\$5) near22 (burst sms short adj messag\$3 text adj messag\$4) near22 (access adj (point node port) bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat\$4 in-operat\$4 inactiv\$4 in-activ\$4 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$4 power) adj3 (sav\$3 conserv\$6 reduc\$3 reduction))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/09/02 10:34
S25	4	(455/412.1.ccls. 455/313.ccls. 455/466.ccls. 455/423.ccls. 455/67.7.ccls. 379/93.24.ccls. 379/100.08.ccls. 379/265.09.ccls. 379/88.12.ccls. 379/100.06.ccls.) and (inform\$3 notify\$3 notifi\$5 alert\$4 know\$2 confirm\$5) near22 (burst sms short adj messag\$3 text adj messag\$4) near22 (access adj (point node port) bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat\$4 in-operat\$4 inactiv\$4 in-activ\$4 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$4 power) adj3 (sav\$3 conserv\$6 reduc\$3 reduction)))) and @ad<"19991211"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/09/02 10:46
S30	19	(455/412.1.ccls. 455/313.ccls. 455/466.ccls. 455/423.ccls. 455/67.7.ccls. 379/93.24.ccls. 379/100.08.ccls. 379/265.09.ccls. 379/88.12.ccls. 379/100.06.ccls.) and (inform\$3 notify\$3 notifi\$5 alert\$4 know\$2 confirm\$5) near22 (burst sms short adj messag\$3 text adj messag\$4) near22 (access adj (point node port) bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat\$4 in-operat\$4 inactiv\$4 in-activ\$4 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$4 power) adj3 (sav\$3 conserv\$6 reduc\$3 reduction))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/09/08 18:27

EAST Search History (I nterference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S12	0	confirm\$5 near12 (sms short adj messag\$3	US-	OR	OFF	2011/09/02

		text adj messag\$4) near12 ((base ground) adj station) near12 (call (((dormant torpid asleep quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$5 power) adj3 (sav\$5 conserv\$6 reduc\$3 reduction)))) and @ad<"19991211"	PGPUB; USPAT; UPAD			00:56
S13	0	confirm\$5 near12 (sms short adj messag\$3 text adj messag\$4) near12 (bs (base ground) adj station) near12 (call (((dormant torpid asleep quiescent idle inoperat\$5 in-operat\$5 inactiv\$5 in-activ\$5 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$5 power) adj3 (sav\$5 conserv\$6 reduc\$3 reduction)))) and @ad<"19991211"	US-PGPUB; USPAT; UPAD	OR	OFF	2011/09/02 00:57
S14	8	confirm\$5 near22 (sms short adj messag\$3 text adj messag\$4) near22 (bs (base ground) adj station) near22 (call (((dormant torpid asleep quiescent idle inoperat\$4 in-operat\$4 inactiv\$4 in-activ\$4 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$4 power) adj3 (sav\$3 conserv\$6 reduc\$3 reduction))))	US-PGPUB; USPAT; UPAD	OR	OFF	2011/09/02 00:59
S15	12	confirm\$5 near22 (burst sms short adj messag\$3 text adj messag\$4) near22 (bs (base ground) adj station) near22 (call (((dormant torpid asleep quiescent idle inoperat\$4 in-operat\$4 inactiv\$4 in-activ\$4 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$4 power) adj3 (sav\$3 conserv\$6 reduc\$3 reduction))))	US-PGPUB; USPAT; UPAD	OR	OFF	2011/09/02 01:00
S16	2	confirm\$5 near22 (burst sms short adj messag\$3 text adj messag\$4) near22 (bs (base ground) adj station) near22 (call (((dormant torpid asleep quiescent idle inoperat\$4 in-operat\$4 inactiv\$4 in-activ\$4 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$4 power) adj3 (sav\$3 conserv\$6 reduc\$3 reduction)))) and @ad<"19991211"	US-PGPUB; USPAT; UPAD	OR	OFF	2011/09/02 01:02
S17	3	confirm\$5 near22 (burst sms short adj messag\$3 text adj messag\$4) near22 (bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat\$4 in-operat\$4 inactiv\$4 in-activ\$4 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$4 power) adj3 (sav\$3 conserv\$6 reduc\$3 reduction)))) and @ad<"19991211"	US-PGPUB; USPAT; UPAD	OR	OFF	2011/09/02 01:07
S18	3	confirm\$5 near22 (burst sms short adj messag\$3 text adj messag\$4) near22 (access adj (point node port) bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat\$4 in-operat\$4 inactiv\$4 in-activ\$4 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$4 power) adj3 (sav\$3 conserv\$6 reduc\$3 reduction)))) and	US-PGPUB; USPAT; UPAD	OR	OFF	2011/09/02 01:29

		@ad<"19991211"				
S19	20	(inform\$3 notify\$3 notifi\$5 alert\$4 know\$2) near22 (burst sms short adj messag\$3 text adj messag\$4) near22 (access adj (point node port) bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat\$4 in-operat\$4 inactiv\$4 in-activ\$4 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$4 power) adj3 (sav\$3 conserv\$6 reduc\$3 reduction)))) and @ad<"19991211"	US-PGPUB; USPAT; UPAD	OR	OFF	2011/09/02 01:37
S21	10	(burst messag\$4) adj7 (sms (short text) adj messag\$4) same (inform\$3 notify\$3 notifi\$5 alert\$4 know\$2 confirm\$5) near22 (burst messag\$4) near22 (access adj (point node port) bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat\$4 in-operat\$4 inactiv\$4 in-activ\$4 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$4 power) adj3 (sav\$3 conserv\$6 reduc\$3 reduction)))) and @ad<"19991211"	US-PGPUB; USPAT; UPAD	OR	OFF	2011/09/02 05:25
S27	1	(Hyun near3 Jeong near3 Kim) and (inform\$3 notify\$3 notifi\$5 alert\$4 know\$2 confirm\$5) near22 (burst sms short adj messag\$3 text adj messag\$4) near22 (access adj (point node port) bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat\$4 in-operat\$4 inactiv\$4 in-activ\$4 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$4 power) adj3 (sav\$3 conserv\$6 reduc\$3 reduction))))	US-PGPUB; USPAT; UPAD	OR	OFF	2011/09/02 10:34
S28	1	(Hyun near3 Jeong near3 Kim) and (inform\$3 notify\$3 notifi\$5 alert\$4 know\$2 confirm\$5) near22 (burst sms short adj messag\$3 text adj messag\$4) near22 (access adj (point node port) bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat\$4 in-operat\$4 inactiv\$4 in-activ\$4 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$4 power) adj3 (sav\$3 conserv\$6 reduc\$3 reduction))))	US-PGPUB; USPAT; UPAD	OR	OFF	2011/09/02 10:35
S29	4	(455/412.1.ccls. 455/313.ccls. 455/466.ccls. 455/423.ccls. 455/67.7.ccls. 379/93.24.ccls. 379/100.08.ccls. 379/265.09.ccls. 379/88.12.ccls. 379/100.06.ccls.) and (inform\$3 notify\$3 notifi\$5 alert\$4 know\$2 confirm\$5) near22 (burst sms short adj messag\$3 text adj messag\$4) near22 (access adj (point node port) bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat\$4 in-operat\$4 inactiv\$4 in-activ\$4 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$4 power) adj3 (sav\$3 conserv\$6 reduc\$3 reduction)))) and @ad<"19991211"	US-PGPUB; USPAT; UPAD	OR	OFF	2011/09/02 10:46
S31	19	(455/412.1.ccls. 455/313.ccls. 455/466.ccls.	US-	OR	OFF	2011/09/08

	455/423.ccls. 455/67.7.ccls. 379/93.24.ccls. 379/100.08.ccls. 379/265.09.ccls. 379/88.12.ccls. 379/100.06.ccls.) and (inform\$3 notify\$3 notifi\$5 alert\$4 know\$2 confirm\$5) near22 (burst sms short adj messag\$3 text adj messag\$4) near22 (access adj (point node port) bs (base ground) adj station) same (call (((dormant torpid asleep quiescent idle inoperat\$4 in-operat\$4 inactiv\$4 in-activ\$4 sav\$4 standby stand-by suspend\$3 sleep\$3) adj (mode state)) idle lull sleep slept (wait\$3 near1 call) ((batter\$4 power) adj3 (sav\$3 conserv\$6 reduc\$3 reduction))))	PGPUB; USPAT; UPAD			18:27
--	--	--------------------------	--	--	-------

9/ 8/ 2011 6:45:16 PM  
C:\ Users\ nly\ Documents\ EAST\ Workspaces\ 09734852.w sp